

**MATH 218D**  
**PRACTICE MIDTERM EXAMINATION 2**

<b>Name</b>		<b>Duke Email</b>	
-------------	--	-------------------	--

Please **read all instructions** carefully before beginning.

- You have 180 minutes to complete this exam and upload your work. The exam itself is meant to take 75 minutes to complete, so hopefully you will have enough time.
- For full credit you must **show your work** so that your reasoning is clear.
- If you need clarification or think you've found a typo, ask a **private question on Piazza**. We'll be monitoring it.
- If you have time, go back and check your work.
- You may use **your class notes** (not the ones from the website) and the **interactive row reducer** during this exam. You may use a **calculator** for doing arithmetic. All other materials and aids are strictly prohibited.
- You are not allowed to receive **outside help** during this exam. Consulting with someone else is considered cheating; suspected instances will result in immediate referral to the Office of Student Conduct.
- Be sure to **tag your answers** on Gradescope, and **use a scanning app**.
- Good luck!

**Complete when starting the exam:** I will neither give nor receive aid on this exam.

Signed: \_\_\_\_\_ Time: \_\_\_\_\_

**Complete after finishing the exam:** I have neither given nor received aid on this exam.

Signed: \_\_\_\_\_ Time: \_\_\_\_\_

This is a practice exam. It is meant to be similar in format, length, and difficulty to the real exam. It is **not** meant as a comprehensive list of study problems. I recommend completing the practice exam in 75 minutes, without distractions.

## Problem 1.

[25 points]

For a certain  $3 \times 4$  matrix  $A$ , the reduced row echelon form of  $(A \mid I_3)$  is

$$\left( \begin{array}{cccc|ccc} 1 & 2 & 0 & 1 & 0 & 2 & 4 \\ 0 & 0 & 1 & -3 & 0 & 1 & 3 \\ 0 & 0 & 0 & 0 & 1 & -1 & 2 \end{array} \right)$$

- a) Compute a basis for  $\text{Nul}(A)$ .
- b) Compute a basis for  $\text{Row}(A)$ .
- c) Compute a basis for  $\text{Nul}(A^T)$ .
- d) Compute a basis for  $\text{Col}(A)$ .  
[Hint:  $\text{Col}(A) = \text{Nul}(A^T)^\perp$ .]
- e) What is the rank of  $A$ ? What are the dimensions of its four fundamental subspaces?
- f) Compute the projection matrix onto  $\text{Nul}(A^T)$ .

## Problem 2.

[25 points]

a) Give an example of a  $3 \times 2$  matrix  $A$  and a vector  $b \in \mathbf{R}^3$  such that the equation  $Ax = b$  is inconsistent but has infinitely many least-squares solutions.

b) Compute the determinant of the matrix

$$\begin{pmatrix} 1 & 3 & 2 & -4 \\ 0 & 1 & 2 & -5 \\ 2 & 7 & 6 & -3 \\ -3 & -10 & -7 & 2 \end{pmatrix}^2.$$

c) If  $A$  and  $B$  are  $n \times n$  matrices such that  $ABx = 0$  has only one solution, does  $Ax = 0$  necessarily have only one solution? Why or why not?

d) Let  $P_V$  be the matrix for projection onto a plane  $V$  in  $\mathbf{R}^3$ . What is the rank of  $P_V$ ? What is its determinant?

e) Explain why any set containing the zero vector is linearly dependent.

### Problem 3.

[30 points]

Consider the matrix

$$A = \begin{pmatrix} 3 & -3 \\ 3 & 1 \\ 3 & 5 \\ 3 & 1 \end{pmatrix}.$$

Let  $V = \text{Col}(A)$ .

- a) Compute the QR decomposition of  $A$ .
- b) What is an orthonormal basis  $\{u_1, u_2\}$  for  $V$ ?
- c) Compute the projection matrix  $P_V$  onto  $V$ .
- d) Compute the orthogonal decomposition of  $b = (1, 0, 1, 0)$  with respect to  $V$ .
- e) Compute an orthonormal basis  $\{w_1, w_2\}$  of  $V^\perp$ .
- f) Explain why  $\{u_1, u_2, w_1, w_2\}$  is an orthonormal basis of  $\mathbf{R}^4$ .

## Problem 4.

[15 points]

Consider the vectors


$$v_1 = \begin{pmatrix} 1 \\ 2 \\ 0 \end{pmatrix} \quad v_2 = \begin{pmatrix} 3 \\ 5 \\ 0 \end{pmatrix} \quad v_3 = \begin{pmatrix} 1 \\ 4 \\ 1 \end{pmatrix} \quad v_4 = \begin{pmatrix} 2 \\ 8 \\ 4 \end{pmatrix}$$

- Find a linear dependence relation among  $\{v_1, v_2, v_3, v_4\}$ .
- What is the dimension of  $\text{Span}\{v_1, v_2, v_3, v_4\}$ ?
- Explain why any set of four vectors in  $\mathbf{R}^3$  is linearly dependent.

### Problem 5.

[10 points]

A subspace  $V$  and a vector  $b$  are drawn below. Draw the projection  $b_V$  of  $b$  onto  $V$ , and draw the projection  $b_{V^\perp}$  of  $b$  onto  $V^\perp$ . Label your answers!




## Problem 6.

[15 points]

Your blockmate Karxon is currently taking Math 105L. Karxon scored 72% on the first exam, 81% on the second exam, and 84% on the third exam. Not having taken linear algebra yet, Karxon does not know what kind of score to expect on the final exam. Luckily, you can help out.

- a) The general equation of a line in  $\mathbf{R}^2$  is  $y = Cx + D$ . Write down the system of linear equations in  $C$  and  $D$  that would be satisfied by a line passing through the points  $(1, 72)$ ,  $(2, 81)$ , and  $(3, 84)$ , and then write down the corresponding matrix equation.
- b) Solve the corresponding least squares problem for  $C$  and  $D$ , and use this to *write down* and *draw* the the best fit line below. [Use a calculator]



$$y = \boxed{\phantom{000}}x + \boxed{\phantom{000}}$$

- c) What score does this line predict for the fourth (final) exam?